| Seat |  |
|------|--|
| No.  |  |

[4657]-584

## S.E. (Information Technology)

(First Semester) EXAMINATION, 2014

## PROBLEM SOLVING AND OBJECT-ORIENTED PROGRAMMING CONCEPTS

## (2012 COURSE)

Time: Two Hours

Maximum Marks: 50

- N.B. :— (i) Answer Q. No. 1 or Q. No. 2, Q. No. 3 or Q. No. 4,
  Q. No. 5 or Q. No. 6, Q. No. 7 or Q. No. 8.
  - (ii) Neat diagrams must be drawn wherever necessary.
  - (iii) Figures to the right indicate full marks.
  - (iv) Assume suitable data if necessary.
- 1. (a) Write a solution to the problem of finding the largest number out of three numbers. Develop algorithm, flowchart, interactivity chart, input-output chart. Also list down three advantages of algorithm and flowchart. [6]

(b) List down major types of modules and explain their functions with example. [6]

Or

- (a) Give three numbers as an input, print their sum and product.Develop the solution to this problem using sequential logic structure.
  - (b) What is decision logic structure? How do you use a decision table? Explain with example. [6]
- 3. (a) What is meant by an ordered array? Write an algorithm to remove duplicate elements from an ordered array. [6]
  - (b) Write an algorithm for linear search and array order reversal. [6]

Or

4. (a) Write a program in C++ for creating array of student object (for 150 students). Create class student with data members as Roll Number, Name, Address, mobile number and member functions as get data and display data. Define member function outside class.

[4657]-584

|           | ( <i>b</i> ) | Differentiate between Procedural Oriented Programming and    |
|-----------|--------------|--|
|           |              | Object-oriented Programming. [6]                             |
| <b>5.</b> | (a)          | What is static data member and static member function? Write |
|           |              | its properties. [7]  |
|           | (b)          | What are rules for operator overloading? List the operators  |
|           |              | which cannot be overloaded. List the operators which cannot  |
|           |              | be overloaded by using friend function. [6]                  |
|           |              | Or   |
| 6.        | (a)          | Write a program in C++ to overload unary "-" operator using  |
|           |              | friend function. [7]   |
|           | (b)          | Explain constructors and destructors in inheritance. Write a |
|           |              | program to demonstrate how constructor and destructors are   |
|           |              | invoked in multilevel inheritance. [6]                       |
| 7.        | (a)          | What is exception handling mechanism in C++? Write a program |
|           |              | in C++ to handle "divide by zero" exception. [7]             |
|           |              |  |

3

P.T.O.

[4657]-584

Derived Container. [6]

Or

8. (a) Write a program in C++ for bubble sort using function template. [7]

(b) Write a note on RTTI. [6]

Write a note on Sequence Container, Associative Container and

(*b*)